National Highway Traffic Safety Administration



Update on NHTSA Roof Ejection Research

Aloke Prasad, Allison Louden (NHTSA)
Steve Duffy (TRC, Inc)

FMVSS No. 226 – Ejection Mitigation

2016 SAE Government Industry Meeting

- Original Purpose: Requirements for ejection mitigation systems to reduce the likelihood of complete and partial ejections of vehicle occupants through side windows during rollovers or side impacts.
- Received comments on NPRM regarding roof and backlight ejections
- Final Rule (Jan 2011) preamble says, "NHTSA is interested in learning more about roof ejections and would like to explore this area further... The results of this work may find that future rulemaking on roof ejections could be warranted."
 - Mitigating backlight ejection determined to not be cost effective
 - Mitigating roof ejection determined to be potentially cost effective, but the agency was not in a position to extend coverage to roof glazing in the final rule due to the lack of a proven performance test procedure for roof glazing.



Crash Data: Annualized Estimates

All Passenger Vehicle Occupants
Ejected Through Closed Roof Glazing (Sunroof, Moonroof, T-top)
All Crash Types
Annualized 2002-2012 NASS-CDS with Fatalities Adjusted to 2002-2012 FARS

Ejection Type	Belt Use	MAIS 1-2	MAIS 3-5	Fatality
Complete	No	183	92	156
Complete	Yes	0	0	11*
Partial	No	2	60	55
Partial	Yes	151	47	10
Total		336	200	233

^{*} Unlikely to benefit from countermeasures



Initial Roof Ejection Mitigation Evaluation

2016 SAE Government Industry Meeting

- Purpose: To conduct an initial assessment of the feasibility of reducing occupant ejections through roof glazing by the use of laminated glass and to assess options for full-vehicle testing.
 - Guided impactor (40 lb) directed toward roof glazing (prebroken) from <u>inside</u> the vehicle.
 - FMVSS No. 226 test speeds (10 and 12.5 mph)
 - Guided impactor (40 lb) directed toward roof glazing (prebroken) from <u>outside</u> the vehicle.
 - FMVSS No. 226 test speeds (10 and 12.5 mph)
 - Free-Motion Headform (FMH) (10 lb) directed toward roof glazing (pre-broken) from inside the vehicle.
 - Higher test speeds to maintain energy equivalency with guided impactor tests



Impactors

Guided Impactor

- Featureless Headform
- 40 lbs. (18 kg)
- Displacement from Lin Pot
- Impact Velocity 10/12.5 mph
- Used in FMVSS No. 226

Free Motion Headform (FMH)


- Featureless Headform
- 10 lbs. (4.7 kg)
- Displacement from Accel
- Impact Velocity 20/25 mph
 - Equivalent energy to Guided Impactor
















Test Setup



 Daylight opening definition consistent with FMVSS No. 226 procedure

Impact locations: geometric center and corners.

Stripped vehicle

Vehicle rotated 90 degrees

Cut out floor portion to insert the guided impactor


 Reinforced vehicle for stability and to focus on roof.



2014 Subaru Forester (Movable)

- Outward

- Test: REM SF05
 - Upper forward corner
 - Impact directed outward
 - 10 mph
 - 222 mm excursion





2014 Subaru Forester (Movable)

- Inward



- Test: REM SF06
 - Upper forward corner
 - Impact directed inward
 - 10.1 mph
 - 112 mm excursion

100 mm less than outward impact!






2013 Ford CMAX (Fixed)

Video: Geometric Center – 10 mph



Video: Upper Rear Corner – 12.5 mph





Guided vs FMH Impactor Comparison


Video: Guided Impactor (12.5 mph) Video: FMH (25 mph)






2014 Subaru Forester (Movable) – Upper Rear Corner







Testing Observations

2016 SAE Government Industry Meeting

- Guided Impactor
 - Impactor was fully contained by glazing
 - Plastic interlayer showed minor tears but not "holed"
 - No glazing/roof bond failure in fixed-glass roof glazings
 - No damage to roof sheet metal
 - Some damage to moveable glazing mechanism
 - Large gap created at leading edge (>100 mm)
- FMH vs. Guided Impactor
 - Guided impactor produced more severe results with equivalent energy
 - Higher excursions, greater damage
- Impacts Directed Inward vs. Outward
 - Impact direction produced different results
 - Inward impacts not representative of real-world



- Testing by rotating the vehicle and using the FMVSS No.226 guided impactor through the floor appears to be feasible
- Additional testing of other roof glazing countermeasures and mechanisms is needed



Test Procedure Development

- Test additional vehicles using the FMVSS No. 226 guided impactor (outward direction)
- Evaluate suitability of FMVSS No. 226 procedures and criterion for roof openings
 - Impact speeds/energy
 - Impact location strategy
 - Excursion limit

Evaluate Countermeasures

- Evaluate other laminates
- Work with OEMs and/or suppliers to obtain non-production laminates for testing
- Evaluate modifications to existing roof glazing structures
- Examine effects of sunshades
- Develop alternatives



Aloke Prasad, Allison Louden (NHTSA) Steve Duffy (TRC, Inc) www.NHTSA.gov

